

2010 Price Sheet

Wholesale/Suggested List Price

2010

Pump Controllers

Oil Smart® Water Pump Controller models: 120VAC and 230VAC. Operates any pump up to 1HP hardwire or 3/4HP with Piggyback plug (Piggyback plug is available up to 1HP). 12/24VDC available.

Standard 2.5" or optional 6" ON & OFF – differential, Add a 6 to model # when ordering 6" differential no additional cost. When water comes in contact with the "on" sensor, the pump will turn on and remain on until water clears the "off" sensor, shutting the pump down. If oil comes in contact with the on sensor, the pump will not turn on. The Oil Smart switch will only pump water, not oil.

<u>Model#</u>	<u>Description</u>	<u>Suggested Retail</u>
#OSS20R	Controller 20' cord 1 HP or 16 Amps Maximum load Hard Wire	\$525.00
#OSS20PBPR	Controller 20' cord 3/4 HP or 13.5 Amps Maximum load & piggyback plug Attention: Piggyback controls are now available approved for up to 1hp upon request.	\$555.00
#OSD20R	Controller 20' cord 1 HP Maximum Load. Includes backup float for "Redundant Off" feature	\$603.00
#OSD20PBPR	Controller 20' cord 3/4 HP Maximum load & piggyback plug Includes backup float for "Redundant Off" feature	\$632.00

NEW! **Water Smart® Pump Controller** (Time Delay Pump Control) with SCS Technology and Optional Adjustable Time Feature: 120VAC and 230VAC European for loads up to 1HP. 12/24VDC also available, indicate 12 or 24VDC at end of model # when ordering. Standard adjustable times on Adjustable (A) model: 5, 10, 15, 20, 30, 45, 60, and 90 seconds. Dial is located on the top of the switch, so time can be adjusted in-the-field. Contact factory for custom dial times. Oil will not activate the sensors.

<u>Model#</u>	<u>Description</u>	<u>Suggested Retail</u>
<i>Adjustable Water Smart</i>		
A-SCS120P	20' cord, piggyback plug. Adjust from seconds to minutes with 8 position dial.	\$479.00
A-SCS120	20' cord, hardwire. Adjust from seconds to minutes with 8 position dial.	\$449.00
<i>Water Smart (8 second time delay)</i>		
SCS120P	20' cord, piggyback plug	\$428.00
SCS120	20' cord, hardwire	\$398.00

2010 Price Sheet

Alarms

OSA-05: Oil Smart® Alarm- Plug and Play. Alarm sensor can be placed at any predetermined level. When liquid comes in contact with the Liquid Smart® Sensor, the sensor will send an alarm signal that there is a liquid present and simultaneously indicate if oil or water is present. 120VAC. Includes Liquid Smart Sensor with 20' cord, 10' power cord, NEMA 4X enclosure 6"x5"x2.5" with visible mounted features: high oil yellow light, high water white light, alarm test and alarm silence, 85 decibel buzzer at 10', high red beacon alarm light and accessible dry contacts for: oil, water and high liquid. Complete with all mounting hardware. Plug and play unit makes for easy installation.

Model#	Suggested Retail
---------------	-------------------------

# OSA-05	\$551.00
----------	----------

OSA-06: Oil Smart® Alarm- Enclosure for hardwiring. Alarm sensor can be placed at any predetermined level. When liquid comes in contact with the Liquid Smart® Sensor, the sensor will send an alarm signal that there is a liquid present and simultaneously indicate if oil or water is present. 120VAC. Includes Liquid Smart Sensor with 20' cord, NEMA 4X polycarbonate swing panel/junction box enclosure 6"x6"x4" with lockable latches and visible mounted features: high oil yellow light, high water white light, alarm test and alarm silence, 85 decibel buzzer at 10', high red beacon alarm light and accessible dry contacts for: oil, water and high liquid. Complete with all mounting hardware. 240 VAC is available upon request.

Model#	Suggested Retail
---------------	-------------------------

# OSA-06	\$629.00
----------	----------

OSA-W: Oil Smart® Alarm- Solar/Battery Operated. Power provided by Solar Panel and Battery Provided. Alarm sensor can be placed at any predetermined level. When liquid comes in contact with the Liquid Smart® Sensor, the sensor will send an alarm signal that there is a liquid present and simultaneously indicate if oil or water is present. Includes Liquid Smart Sensor with 20' cord, NEMA 4X polycarbonate swing panel/junction box enclosure 6"x6"x4" with lockable latches and visible mounted features: high oil yellow light, high water white light, alarm test and alarm silence, 85 decibel buzzer at 10', high red beacon alarm light and accessible dry contacts for: oil, water and high liquid. Complete with all mounting hardware.

Model#	Suggested Retail
---------------	-------------------------

# OSA-W	\$803.00
---------	----------

Oil Smart® Control Panels (Include Pump Controller and Alarm)

OIL SMART® SIMPLEX PANELS

Oil Smart® Simplex Panels provide automatic pumping of water without the risk of pumping oil, when combined with a sump pump, and provide Oil Smart® high liquid alarm information. Includes Oil Smart Switch with 20' cord, Liquid Smart Sensor with 20' cord, NEMA 4X polycarbonate swing panel/junction box enclosure with lockable latches and visible mounted features: green light for pump run, Hand-Off-Auto (HOA) switch for manual pump control, high oil yellow light, high water white light, alarm test and alarm silence, 85 decibel buzzer at 10', high red beacon alarm light and accessible dry contacts for: oil, water and high liquid. Complete with all mounting hardware.

Model# Single Phase	Suggested Retail
----------------------------	-------------------------

#OSSIM-30 1 HP @ 120V, 3HP @ 208/240V	\$1,257.00
---------------------------------------	------------

#OSSIM-30-CB 1 HP @ 120V, 3HP @ 208/240V	\$1,335.00
Includes Circuit Breaker	
